| | Туре | Hits | Search Text |
|----|------|--------|---|
| 1 | BRS | 305571 | high adj frequency |
| 2 | BRS | 939 | high adj frequency adj device |
| 3 | BRS | 0 | <pre>(high adj frequency adj device) and (conductor adj layers) and ((insulator or insulating or insulation) adj (layers))</pre> |
| 4 | BRS | 10 | <pre>(high adj frequency adj device) and (conductor) and ((insulator or insulating or insulation) adj (layers))</pre> |
| 5 | BRS | 95 | (high adj frequency adj device) and (conductor) and ((insulator or insulation)) |
| 6 | BRS | 98 | <pre>(high adj frequency adj device) and (conductor) and ((insulator or insulating or insulation or insulate))</pre> |
| 7 | BRS | 2665 | (groove or trench) and ((conductor or conducting or conductive) with (insulator or insulating or insulation or insulate) with (layers)) |
| 8 | IS&R | 0 | (438/281).CCLS. |
| 9 | IS&R | 0 | (438/281).CCLS. |
| 10 | IS&R | 41 | (257/503).CCLS. |

| | DBs | Time Stamp | Comments | Error Definition |
|----|---|----------------|----------|---------------------|
| 1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 05 | |
| 2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 06 | |
| 3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 08 | |
| 4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 18 | |
| 5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 19 | |
| 6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/13 19: | 45 | |
| 7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/14 10: | 55 | |
| 8 | EPO | 2002/05/14 10: | 55 | |
| 9 | JPO | 2002/05/14 10: | 55 | |
| 10 | JPO | 2002/05/14 10: | 55 | |

| | Errors |
|----|--------|
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |
| 10 | 0 |